



Husqvarna Soff-Cut 150

The Husqvarna Soff-Cut 150 saw is designed for residential and light commercial applications. The lightest gas saw in the Soff-Cut range, the 150 is designed for ease of use and convenience. Features include a patented low noise blade enclosure which allows the unit to be used in residential areas with minimal disruption. In addition, the low-dust blade block system allows the saw to cut dry, and it controls the debris for easy cleanup.

Engine	
Output power (As rated by the engine/motor manufacturer)	5.5 hp
Starter	Recoil
Dimensions	
Weight	87 lbs
Product size length	68 in
Product size height	33.5 in

Cutting equipment	
Blade depth control	Manual
Cutting depth, max	1.18 in
Blade diameter, max	6.5 in

Articles for Soff-Cut 150

Husqvarna Soff-Cut 150	966 84 48-11
Husqvarna Soff-Cut 150	966 84 48-05

Soff-Cut® technology



Husqvarna Soff-Cut is a unique patented system for early entry concrete sawing. This technology enables concrete to be cut within the first one or two hours of finishing and before final set. Husqvarna Soff-Cut® provides the best solution for minimizing the risk of random cracking, and it simplifies the working process, compared to conventional sawing.

Recommended tools for Soff-Cut 150

	VC-1000	Vari-Cut™ Red	VC-4000	FLX-1000	FLX-3000
Abrasive		• • •	$\bullet \bullet \bigcirc$		
Granite		• 0 0	• • •		• • 0
Green concrete: Hard aggregate (flint), Medium abrasive sand	••0	•••		••0	• • •
Green concrete: Hard aggregate (flint), Non-abrasive sand	•••	• 0 0		•••	
Green concrete: Medium aggregate (granite), Medium abrasive sand	• 0 0	••0	••0		•••
Green concrete: Medium to Soft aggregate (Limestone), abrasive sand			•••		••0
Trap-rock	• 0 0	• • •			



FLX-4000

Granite	$\bullet \bullet \bullet$
Green concrete: Medium aggregate (granite), Medium abrasive sand	••0
Green concrete: Medium to Soft aggregate (Limestone), abrasive sand	• • •