

Husqvarna PG 830 P

A propane drive version of our largest and most powerful floor grinding machine PG 830. The propane drive makes your operation independent of electrical access and makes PG 830 P the perfect choice for large outdoor concrete areas. The fuel system reduces the risk of freezing when using liquid withdrawal propane. Key components are sealed against dust and slurry for maximized reliability and low maintenance. It is easy to handle, tilt and operate with standard adjustable weights for extra grinding pressure.



Hour and RPM meterPossibility to log operating hours and read the RPM of the machine.



Adjustable grinding pressure
The weights are included and a must-

have for every professional grinder, as they allow to adjust the grinding pressure in three pre-set positions. During tool change, the weights act as a counter balance which simplifies the tilting of the machine.



Sealed grinding head with 1000 hrs service interval. No dust or water can intrude to damage components.



Ergonomic handleAdjustable handle for better ergonomics.



FEATURES

- Sealed to last
- Adjustable grinding pressure
- Hour and RPM meter
- Ergonomic handle

- · Always in control
- Fuel injection
- Exhaust catalyst

| MOTOR | |
|--|---------------|
| Motor/engine model | FX850V |
| Output power (As rated by the engine/motor manufacturer) | 27 hp |
| OTHER | |
| Grinding width | 31.5 in |
| Grinding disc diameter | 10.6 in |
| Grinding disc speed min | 766 rpm |
| Grinding disc speed max | 861 rpm |
| Direction of rotation | One direction |
| Number of grinding discs | 3 pcs |
| DIMENSIONS | |
| Product size length | 88.1 in |
| Product size width | 32.7 in |
| Product size height | 45.7 in |
| Weight | 1235 lbs |
| PACKAGING | |
| Packaging length (Calc) | 55 in |
| Packaging width (Calc) | 35 in |
| Packaging height (Calc) | 57.992 in |
| Packaging volume | 1829 dm³ |

ACCESSORIES

505 45 32-01



WATER KIT



FLEXIBLE GRINDING HEAD SPRINGHARDNESS TEST MOH'S TEST KIT ROUGHNESS TESTER MARSURF STEEL REPLACEMENT 593 31 69-01 PS10 STEEL REPLACEMENT 502 53 42-01



PS10 593 76 86-01



GLOSS METER MG6-SS 593 31 32-01



ICRI PROFILE CONCRETE SET 546 21 69-01



GLOSS & DOI METER RHOPOINT IQ 593 31 15-01



ICRI PROFILE PLASTIC CHIPSET 546 21 69-02



FRICTION TESTER BOT 3000E 531 18 50-01



PENETRATION TEST KARSTEN PIPE TEST KIT 598 85 80-02